

AUTRONICA

Устройства тревоги для танкеров

Краткое описание

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93





Impact Personal
Multi-Gas Monitor

VARIOUS PRODUCTS

Impact Personal Multi-gas Monitor

Portable multi-gas monitor for the protection of personnel from up to four hazardous gases simultaneously in the working environment.

Portable multi-gas monitor for the use onboard tankers for measuring the flammable gas concentration in VOL % and Oxygen level simultaneously in the working environment.

IMPACT PERSONAL MULTI-GAS MONITOR



Pressure Calibrator
Type OTE-P202 and
OTE-P300
Type OTE-P300

Temperature Calibrator

Portable temperature calibrator for testing of temperature- sensors, indicators, switches and safety equipment. The heating medium is hot air. This makes it clean to use and it has quick temperature change response. Temperature range is about 10 degrees above ambient to + 700 degrees Celsius with digital readout of the measured temperature. The calibrator is type approved by DnV. TYPE OTE-T700

[Calibrator datasheet](#)



Pressure Calibrator
Type OTE-P202 and
OTE-P300
Type OTE-P300

Pressure Calibrators

Portable pressure calibrators for testing of pressuresensors, indicators, switches and safety equipment. The pressure medium is oil. It has fine adjustment of the pressure, and an overpressure relief valve. The digital readout can be selected to bar or PSI. Pressure range is 0 - 200 bar / 0-300 bar. The unit can also be delivered in Eex version.

TYPE OTE-P202 and OTE-P300

TYPE OTE-P300

[Calibrator datasheet](#)



Low Pressure Vacuum
Calibrator Type LPT 1
Medium Pressure Vacuum
Calibrator
Type TP 1

Low Pressure / Medium Pressure Calibrators

Portable low pressure calibrator for testing of pressure- sensors, indicators, switches and safety equipment at a low pressure range. The calibrator can be delivered with either analogue or digital gauges. Kindly specify what type upon request and ordering.



Alarm Light
Type OAL-A2

Alarm Lights

Alarm Light OAL -A2 is an alarm light designed for harsh outdoor mounting. The housing is of welded stainless steel. The lens is of polycarbonate and has an O-ring gasket to the housing. The electronic card is completely encapsulated in silicone rubber for moisture and vibration protection. The lower part of the housing functions as a junction box for cable connection.

This construction is especially suitable for marine applications.
TYPE OAL-A2



EEx Alarm Light
Type XB-11

Alarm Light XB-11 is an alarm light designed for use in potentially explosive atmospheres and harsh environmental conditions. The housing is of UV stable glass reinforced polyester. This light is approved for connection (Eex approved connection) directly in hazardous area.

TYPE XB-11



EEx Alarm Light
Type XB-9

Alarm Light XB-9 is an alarm light designed for use in potentially explosive atmospheres and harsh environmental conditions. The housing is of UV stable glass reinforced polyester.

TYPE XB-9



EEx Alarm Horn
Type DB-3

Alarm Horns

EEx Alarm horn DB-3 is an electrical alarm horn designed for use in potentially explosive atmospheres and harsh environmental conditions. The housing is of reinforced polyester. Mounting bracket is included.

TYPE DB-3



Alarm Horn
Type KTV 75/400

Alarm horn KTV 75/400 is an air driven alarm horn designed for use in potentially explosive atmospheres and harsh environmental conditions. The horn is delivered with mounting bracket, solenoid valve and air filter. The solenoid valve is non-EEx and must be mounted indoor, safe area.

TYPE KTV 75/400



Alarm Horn
Type A121

Alarm horn A121 is an electrical alarm horn with very high output sounder.

TYPE A121



Alarm Horn Type A105

Alarm horn A105 is an electrical alarm horn.
TYPE A105

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: acn@nt-rt.ru || www.autronica.nt-rt.ru